See discussions, stats, and author profiles for this publication at: https://www.researchgate.net/publication/362060100

Traditional medicinal benefits of Caryota urens: A review article

Article · July 2022

| CITATION: | S | READS 3,527 | |
|-----------|--|----------------|--|
| 4 autho | rs: | | |
| | Gayanthi N De Silva University of Colombo 1 PUBLICATION 3 CITATIONS SEE PROFILE | | Jalathge Isurika Dilanthi Diddeniya 8 PUBLICATIONS 17 CITATIONS SEE PROFILE |
| | Jeevani Maheshika Dahanayake University of Colombo 43 PUBLICATIONS 55 CITATIONS SEE PROFILE | | Pathirage Kamal Perera Unuversity of Colombo 240 PUBLICATIONS 550 CITATIONS SEE PROFILE |

Traditional medicinal benefits of Caryota urens: A review article

De Silva G.N., Diddeniya J.I.D., Dahanayake J.*, Perera P.K.

Abstract

Caryota urens which belongs to the Palmae family is used as a food, beverage, fiber, timber and for ornamental purposes in Sri Lanka. Jaggery and treacle made out from Caryota. urens is very abundantly used in the Sri Lankan communities since a long ago. Even though its usage as a food article has been broadly described in many instances, its medicinal usage has not been mentioned clearly with regard to Traditional Medicinal aspects of Sri Lanka. The aim of this paper was to review the relevant literature from authentic texts in Traditional Medicine such as pharmacopoeia, "Deshiva Ayurveda chikitsa samgrahaya" and "Osuthuru wisithuru" as well as published research articles in the data bases such as Science direct, PubMed and Google scholar to provide a summary on potential medicinal benefits of Caryota urens. The results revealed that the used parts of this plant are leaves, bark, root bark, flowers as well as toddy and starch. It gives beneficial health effects such as anti-microbial, anti-oxidant, antiinflammatory, anti-parasitic, anti-cancer and analgesic properties. The most common herbal preparations made out from this plant were herbal gruel and "Basna" (A nutritional preparation specific to Sri Lankan traditional medicine). Apart from that, the use of Caryota. urens in diseases such as diarrhea, parasitic infestations, anemia, jaundice, burning sensation was also identified through this review. It can be concluded that Carvota. urens is a functional herbal food and herbal ingredient which has many favorable health effects and further studies will be needed to determine these effects thoroughly.

Keywords: *Caryota urens*, Medicinal properties, Functional food, Traditional Medicine

Introduction

Caryota urens (C. urens) is a palm tree, which belongs to PALMAE family. This plant is native to Sri Lanka, India and Nepal¹. This tree was first observed in Cambodia². C. urens is traditionally tapped for sap from which sweet syrup (treacle), sugar (jaggery) and alcoholic beverages (toddy) are prepared. The treacle and jaggery are highly valued for culinary purposes in Sri Lanka3. C. urens is a tall unarmed, trunk which is 13 - 20m tall and 0.3m in diameter, cylindrical, annulated, flowering when full grown from axils of leaves begin with the upper and the thence successively downward, leaves large, flowers crowded⁴. As synonyms for C. urens in different languages, "Krushna kanthu, Sthulathala" is used in Sanskrit, "Heenthala" is used in Hindi and "Tobby palm, Jaggery palm" is used in English and locally it is known as "Kithul". Chemical composition of C. urens is palm sugar content of the flower juice $(Meera)^1$. C. urens is a plant which has a great nutritional as well as a medicinal value. When it comes to functional food, the most important are Kithul flowers obtained from the Kithul tree, especially prepared Kithul treacle, jaggery and flour. The medicinal components here are fermented toddy, treacle, jaggery and flour obtained from flowers (Meera), bark and roots.

Considering its medicinal value, it stimulates appetite⁶. This improves the digestive energy and also helps in the improvement of Agni (digestive fire) and relives constipation and facilitates

Department of Study in Ayurveda, Institute of Indigenous Medicine, University of Colombo, Rajagiriya, Sri Lanka.

Correspondence: Dahanayake J., Department of Study in Ayurveda, Institute of Indigenous Medicine, University of Colombo, Rajagiriya, Sri Lanka. Email: jdahanayake@yahoo.com

defecation⁶. The root bark and the cabbage of the palm are used for the treatment of rheumatic swellings bite poisoning⁴. and snake-The inflorescences are tapped for toddy, treacle and jaggery made from it. The wood is used for building purposes. The pith yields starch which is eaten. Commercially Kithul fiber is produce by using leaves of the tree⁴. The cabbage of this palm before flowering is a food for elephant. It is used medicinally for gastric ulcers⁴. The root is employed for tooth ailments and the bark and seed on boils and the tender flowers for promoting growth of hair⁴. Several research studies have emphasized the pharmacological actions or beneficial health effects of C. urens such as anti-inflammatory, anti-oxidant, anti-diabetic and anti-microbial. anti-cancer properties.

The aim of this review was to provide a pharmacological comprehensive summary of actions, medicinal benefits and traditional medicinal formulae of C. urens. Those preparations which are available in Traditional texts play a major role in the treatment of various kinds of diseases. Therefore, it is important to review medicinal aspect of C. urens for future treatment as it will be a great subscription to healthcare system. Because the proper usage of this plant can be used as a remedy for many ailments, it would be beneficial for the people in the society to get a clear view about the therapeutic properties of C. urens and the disease conditions which it can be used for, in order to get rid of them. Therefore, this research was conducted with the aim of discovering the formulae and regarding the above-mentioned facts by using both Ayurveda and western medicinal approaches.

Methodology

Method of data collection

This review was conducted by using Sri Lankan authentic traditional texts such as "Deshiya chikithsa samgrahaya", "Aushda samgrhaya" to find out the Kithul containing medicinal formulae mentioned in traditional texts and to identify the composition, mode of administration and indications of Kithul from above mentioned formulae. Further published articles which report about the medicinal effects of *C. urens* were searched and a comprehensive review was conducted by using the data bases; Pub Med, Science direct and Google scholar for studies published regarding *C. urens*. The search terms used were *C. urens*, medicinal properties, nutritional properties and health benefits. Only the studies published in English language were considered in the electronic data bases. Apart from that, relevant texts and internet sources were also used for the purpose of gathering necessary facts about *C. urens* plant. Interpreted data were presented in scientific methods by using tables etc.

Results

Results of traditional authentic texts

Several indications mentioned according to its used parts were identified by observing traditional authentic texts such as *Deshiya chikithsa samgrahaya, Aushada samgrahaya, Osuthuru wisithru.*

Indications according to the used part of Caryota urens

The collected data revealed that, various used parts of *C. urens* were mostly used for snake venom, *Pandu* (Anemia), *Kamala* (Jaundice) and in *Pitta doshic* involvement. It was also revealed that *Kithul* treacle and *Kithul* jaggery are most commonly used for these preparations. Table 01 shows the traditional medicine indications of *C. urens* according to its used part.

Caryota urens containing formulae mentioned in traditional authentic texts

Sixteen medicinal formulae were found which containing *Kithul*. Among these formulae, *Basna* (A nutritional preparation) is the most abundantly mentioned preparation mode and *Kithul* treacle and jaggery are widely used for these preparations. All the formulae are used as internal preparations (Table 02). Figure 01 shown the pharmacological action of *C. urens*.

| Used part | Indication |
|-----------|---|
| Leaves | Burning sensation, General weakness ⁵ |
| Bark | Grind the bark and take the juice. Pour into the ear – relives earache ⁶ |
| Root bark | For rheumatic swelling snake bite poisoning ⁴ |
| Seeds | Boils ⁴ |
| Flower | Promotes hair growth (tender flowers) ⁴ |
| Treacle | Kamala (Jaundice) ⁷ |
| Jaggery | <i>Pandu</i> (Anemia), <i>Kamala</i> (Jaundice), <i>Rathpita</i> (Bleeding from various parts of the body) ⁷ |
| Cabbage | For rheumatic swelling snake bite poisoning, Gastric ulcers ⁴ |
| Toddy | Constipation, Increase digestive power ² |
| Starch | Hemorrhoids ⁶ |

Table 01: Traditional medicine indications of Caryota urens according to its used part

Table 02: Caryota urens containing formulae mentioned in traditional authentic texts

| | Fo | | | |
|-----------------------------------|--|--|--|--|
| Type of the preparation | Ingredients | Method | Mode of administra tion | Indication |
| Gruel ⁸ | Mussenda (Mussaenda frondosa) leaves, Bakmi (Nauclea orientalis) bark, Hathawariya (Asparagus racemosus) tuberous roots, | Take the juice extract (<i>Swarasa</i>) of these ingredients and add <i>Hinati hal</i> (Traditional rice variety) and prepare gruel. Take this with <i>Kithul</i> jiggery | Use this day and night for three days | Pandu (Anemia) <i>Kamala</i> (Jaundice) |
| Gruel ⁸ | Yakinaran (Atalantia ceylanica) leaves | Prepare a gruel and take it with <i>Kithul</i> jiggery | | <i>Pandu</i> (Anemia) <i>Kamala</i> (Jaundice) |
| Beverages ⁸ (Paana) | Lime juice, water of <i>Mung</i> bean (Green gram), King coconut water, <i>Kithul</i> treacle | Boil these ingredients | Use two tablespoon day and night | <i>Kamala</i> (Jaundice) |
| Thala Behetha ⁹ | Sadikka (Myristica fragrans), Karabuneti (Syzygium aromaticum), Vasavasi - Mace (Semen myristicae), Thippili (Piper longum), Sududuru (Cuminum cyminum), Kaluduru (Nigella sativa), Dewadara (Cedrus deodara), Kothaburu (Coriandrum sativum), | Grind the all ingredients and take fine powder. Separate into 14 parts. | Use this day and night for one week. Use it with Cow's milk | Pandu (Anemia) Kamala (Jaundice) Rathpita (Bleeding from various parts of the body) Prameha (Diabetes) Shotha |

Formulation

| | Welmi (Glycyrrhiza glabra): Kalan 1 (5g) of each ingredient Red Onion: Kalan 9 (45g) Kithul jaggery: Kalan 10 (50g) Kalu thala (Black sesame seeds): 960ml | | | (Edema) <i>Arshas</i> (Piles) |
|---------------------------------------|---|--|-----------------------|----------------------------------|
| Virekaya ¹⁰ (Purgative) | Detta (Boehmeria nivea) ala, Aralu (Terminalia chebula), Bulu (Terminalia bellirica), Nelli (Phyllanthus emblica), Maduru (Fructus Foeniculi), Jayapala (Croton tiglium): Kalan 01 (5g) Siyabala (Tamarindus indica) bora (juice): Kalan 03 (15g) Thirasthawalu (Operculina turpethum): Kalan 7 (35g) Kithul jaggery: Kalan 16 (80g) | Grinding all ingredients and make a pill | Use in the morning | Pandu (Anemia) |
| Yabora Lehaya ¹¹ | Yabora (Iron preparation), Inguru (Zingiber officinale), Gammiris (Piper nigrum) Thippili: Paln 1 (60g) Kithul jaggery: Palan 2 (120g) Kikirindiya (Eclipta prostrata) juice: Mana 1 (480 ml) | Make a paste and use | | <i>Pandu</i> (Anemia) |
| Yahunu Lehaya (I) ¹¹ | Kikirindiya (Eclipta prostrata)juice: patha 1 (240ml)Uk (Saccharum officinarum)treacle: patha 1 (240ml)Cow's milk: Mana 1 (480ml)Kithul jaggery: Palan 3(180g)Sesame oil: ½ Patha (120 ml)Yahunu: Karsha 1 (15g)Kithul jaggery: Palan 3(180g)Sesame oil: ½ Patha (120 ml)Yahunu: Karsha 1 (15g)Kithul jaggery: Palan 3(180g)Sesame oil: ½ Patha (120 ml)Yahunu: Karsha 1 (15g) | Cook it until it comes for thick paste like semi-solid (<i>Leha padama</i>) | | Pandu (Anemia) |


Review Paper


| Yahunu | Kikirindiya (Eclipta | Cook it until it comes | | Pandu |
|---|--|---|--|---|
| Lehaya (II) ¹¹ | prostrata), Kalu Uk (Saccharum officinarum) treacle: Mana (480ml) Cow's milk: Neli 1 (960ml) Kithul jaggery: Palan 7 (420g) Sesame oil: ¼ Patha (60ml) Yahunu: Karsha 6 (90g) | for paste like semi-solid (<i>Leha padama</i>) | | (Anemia) <i>Shotha</i> (Edema) |
| Puhul Basna ¹² (A nutritional preparation) | <i>Kithul</i> Treacle, Coconut Treacle. Lime juice: 2 bottles Ginger Juice: 1 bottle <i>Yabora: Kalan</i> 36 (180g) | Took an ash gourd and cut a piece from top (lid). Remove the flesh inside and filled with ingredients. Replaced the lid and covered the fruit with layer of mud. Leave beside a hearth for 5 days | Filter the juice and use | |
| Maha Basna ¹² | Juice of Kapu (Gossypium arboreum) leaves and, Tamarind leaves, Kikirindiya (Eclipta prostrate) juice: Patha 1 (240ml) Lime juice and orange juice, Kithul Treacle, Coconut Treacle, Uk (Saccharum officinarum) treacle, Bee honey: Patha ½ (120ml) Aralu (Terminalia chebula), Nelli (Phyllanthus emblica), Inguru (Zingiber officinale), Gammiris (Piper nigrum), Thippili (Piper longum), Sadikka (Myristica fragrans), Karabuneti (Syzygium aromaticum), Vasavasi- Mace (Semen myristicae), Garlic, Sududuru (Cuminum cyminum), Kaluduru (Nigella sativa), Wada kaha (Acorus calamus), Welmi (Glycyrrhiza glabra), Asamoda (Trachyspermum roxburghianum), Kottam (Saussurea costus),Kottamalli (Coriandrum sativum), Yahunu , Yabora : Kalan 1(5g) of each ingredient | Took an ash gourd and cut a piece from top (lid). Remove the flesh inside and filled with ingredients. Replaced the lid and covered the fruit with layer of mud and buried under ground. Give heat for 2 days. | Use this day and night for one week | Fever, Constipation, Headache, Ashmari, (Calculi) Pittaja Pandu, (Anemia) Daha, (Burning sensation) Shotha, (Edema), Vata raktta Brama (Dizziness) Anaha, (Distention of abdomen) |

586

| Yusa Basna ¹² | Juice of Kapu (Gossypium arboreum) leaves and, Tamarind leaves, Lime juice: Nali 1 (960ml) Sududuru (Cuminum cyminum), Kaluduru (Nigella sativa), Nelli (Phyllanthus emblica), Thippili (Piper longum), Asamoda (Trachyspermum roxburghianum), Sadikka (Myristica fragrans), Karabuneti (Syzygium aromaticum), Vasavasi – Mace (Semen myristicae) : Kalan 1(5g) of each ingredient Kithul jaggery | Put all ingredients into a pot and sealed it with mud and buried under ground for 3 days. Give heat. | | Pandu (Anemia) Rathpita (Bleeding from various parts of the body) |
|------------------------------------|--|---|------------------------|---|
| Ra Bassna ¹² | Ra (toddy): Neli 02 (1960ml) Lime juice: Mana 01 (480ml) Kithul jaggery: Palam 1 (60g) Yahunu: Palam 1 (60g) Kaluduru (Nigella sativa) : Palam 1 (60g) | Put all ingredients into a pot and sealed it with mud and buried under ground for 3 days. Give heat. | | <i>Pandu</i> (Anemia) |
| Dehi Bassna ¹² | Lime juice, Ginger juice, Bee honey, Kithul jaggery , <i>Uk</i> (<i>Saccharum officinarum</i>) treacle : Patha 1 (240ml) <i>Welmi (Glycyrrhiza glabra)</i> , <i>Sahinda lunu; Kalan</i> 1 (5g) | Took an ash gourd and cut a piece from top (lid). Remove the flesh inside and filled with ingredients. Replaced the lid and keep it in water container. | Use this for 7 days | Pandu (Anemia) Shotha (Edema) Prameha (Diabetes) |
| Beverages (Paana) ¹³ | Siyabala kola: Kalan 12 (60g) Aralu (Terminalia chebula) Kalan: 3 (15g) Gole pethi: Kalan 3 (15g) Water: Neli 2 (1920ml) | Took all ingredients and boil into 1 <i>Neli</i> (960 ml) and filter. Then add 64 <i>Kalan</i> (320g) of sugar, <i>Kithul</i> jaggery, tamarind juice. Stir well and boil again. When in use add some sahinda lunu | Use for 4 times | Pandu (Anemia) Shotha (Edema) Udara (Distention of abdomen) |
| Beverages (Paana) ¹³ | Aralu (Terminalia chebula), Inguru (Zingiber officinale), Karunka puwak: Kalan 4 (5g) Tamarind: Kalan 12 (60g) Water: Mana 1 (480ml) | Took all ingredients and boil down 4mana of water in to 1 mana. Then add; <i>Kithul</i> jaggery: Kalan 6 (30g), Tamarind juice: Kalan 4 (20g), Sahinda lunu: Kalan 2 | | <i>Pandu</i> (Anemia) |

Pharmacological actions of C. urens according to modern science (Figure 01)





Anti-inflammatory properties

Balaji et al. investigated the anti-inflammatory effects of C. urens by evaluating the Nitric Oxide (NO) production mediated by Inducible Nitric Oxide Synthase (iNOS) and revealed that the hydroalcoholic leaf extract of C. urens (CULHA) can be developed as a new therapeutic agent against inflammatory diseases¹⁴. Sujitha et. al. investigated if the active constituents of C. urens leaf hydro alcoholic extract (CULHA) umbelliferone and rutin has the ability to inhibit rheumatoid arthritis by blocking TNF-alpha and the results suggested that the presence of rutin and umbelliferone in C. urens could be responsible for its anti-inflammatory activity¹⁵.

Anti-oxidant properties

The anti-oxidant properties of *C. urens* was investigated by Ananth *et. al.* revealed that the antioxidant activity of immature fruit and leaf extracts yielded high activity when compared to its fruit skin and the bioactive compounds of *C. urens* could be attributed to its anti-oxidant properties¹⁶. *Sharmin* et al. evaluated the anti-oxidant activity of fruit extract of *C. urens* by using the total phenolic content and the results showed that its fruit extract consists of a significant anti-oxidant activity¹⁷.

Anti-microbial effects

Ananth et. al. demonstrated the anti-bacterial activities of C. urens against the tested pathogens E.coli. Vibrion cholerae. Salmonella typhii, Staphylococcus aureus and Shigella flexneri and stated that fruit skin and immature fruit of C. urens exhibited strong anti-bacterial activities than leaf 18 . The antimicrobial activity of C. urens samples was analyzed against five gram positive and eight-gram negative bacteria by using the disc diffusion method by Sharmin et. al. revealed that among all the samples, the largest zone of inhibition (13.0 mm) against Shigella dysenteriae¹⁹.

Anti-parasitic effects

A study was undertaken to assess the larvicidal potential of *C. urens* against dengue vector *Aedes aegypti.* (*A. aegypti*). For that purpose, the larvicidal activity of methanol leaf extracts of *C. urens* at various concentrations was studied by *Vanaja* et al. and the results revealed that *C. urens* can serve as a potential larvicidal agent against the dengue vector *A. aegypti*²⁰.

Anti-diabetic effects

Ferreres *et. al.* demonstrated the anti-diabetic properties of inflorescence extract of *C. urens* and suggested that *C. urens* inflorescences can support the development of new functional foods with α -glucosidase inhibitory activity²¹. Anti-diabetic properties of *C. urens* flour was estimated by Wimlasiri *et. al.* by making use of alpha amylase and alpha glucosidase enzyme inhibition assays and they stated that it did not contain marked anti-diabetic properties²².

Anti-cancer properties

The potential cancer chemo preventive action of *C*. *urens* and *C*. *mitis* was evaluated by El-Akad *et. al.* by analyzing the leaf and fruit metabolites of both varieties²³.

Neuro protective effects

A study was carried out by Ravindran to prove the memory enhancement and cognitive effect of *C*. *urens* on Alzheimer's induced mice using various memory retention experiments such as Y maze, Morris water maze, Passive avoidance etc. and it was concluded that *C. urens* possesses a remarkable

effect in memory enhancement in Alzheimer's disease²⁴.

Analgesic effects

Patel *et. al.* analyzed the *C. urens* methanol extract of leaves for giving the analgesic effect by using the Hot plate method and Tail flick method. Their results suggested that *C. urens* extracts showed the presence of phytosterols, tepenoids, tannins, flavonoids and phenolic compounds which has been responsible for the analgesic effect²⁵.

Effects on lipids

Ranasingha *et. al.* examined the effect of *C. urens* treacle on serum lipid profile using Wister rats by making use of Randox test kits to calculate Total Cholesterol (TC), High Density Lipoprotein (HDL) and Triglyceride (TG) contents in serum and Friedewald equation to calculate Low Density Lipoprotein (LDL) content. The results revealed that treacle has a significant beneficial effect on serum lipid profile²⁶.

Discussion

Caryota urens (Kitul) is a palm tree. In general, even though it is common that palm trees do not have much of a medicinal value, when thoroughly researched, coconut, *Thal* palm as well as *Kitul* offer many medicinal benefits. *C. urens* is one of the most important multipurpose medicinal plants. Each part of the plant has some important medicinal value.

According to the collected data C. urens has widely used for the treatment of Pandu (anemia), Kamala (Jaundice) and in Diseases occurs due to vitiated Pitta dosha such as Daha (burning sensation), Brama (dizziness), Rathpita (bleeding from various parts of the body) etc. Considering the properties of C. urens; Madura rasa (sweet taste) improves the Rasa (essence part soon after digestion), Raktha (blood), Mansa (muscle), Meda (fat), Asthi (bone), Majja (bone marrow) and Ojas (essence in every tissue). It has Balakaraka (improves the strength of the body) and Bhagna sndhanakara (heal the fractures) actions as well. Considering the sheetha veerya (cold potency), it helps to pacify the Pitta dosha. Altogether all the properties contribute to pacify the Pitta and Vata dosha and provide strength

to the body. *C. urens* has anti-microbial, antiparasitic, anti-oxidant, anti-inflammatory, anticancer and analgesic properties. In addition, it seems to lower blood glucose and serum cholesterol levels while giving neuro-protection actions too. It acts on different systems of the body in numerous ways which aids in relieving plenty of diseases such as diarrhea, migraine headaches, snake bite poisoning, rheumatic swellings, Alzheimer's disease etc.

Conclusion

Therefore, it can be concluded that *C. urens* is a plant very much useful in the traditional medicine in order to alleviate from many diseases and furthermore it is a valuable natural source which can be used to obtain multiple therapeutic effects in curing and the prevention of diseases. It is an effective food article and a medicinal drug which can be used by the people in all the ages.

Recommendations

Further clinical and experimental studies need to be carried out to evaluate the efficacy of therapeutic potentials in Sri Lankan traditional medicinal use of *C. urens* in the health care system.

Reference

- Ayurveda Aushadha sangrahaya, 2nd edition, volume I, part 2, (1971), Department of Ayurveda Pg. 58.
- 2. Paranavithana M, (2006), *Subasetha*, Associated Newspapers of Ceylon limited, Pg. 23.
- 3. Yvonne Everett, (1995), The Kitul palm, Ethnobotany of *Caryota urens* in highland Sri Lanka, Department of landscape Architecture, 15(2), Pg.161-176.
- Jayaweera D.M.A, (2006), Medicinal plants (Indigenous and Exotic) used in Ceylon, part IV, The national science foundations, Sri *Lanka*, Pg. 179.
- 5. Paranavithana M., (2014), *Subasetha*, Associated Newspapers of Ceylon limited, p 20.

De Silva et.al. Traditional medicinal benefits of Caryota urens

- 6. Osuthuru wisithuru, volume 1, Department of Ayurveda, Pg. 139.
- Kumarasinghe. A., (1984), Chapter 19, Deshiya chikithsa sangrahaya, Colombo Sathosa printers Pg. 481,487.
- Kumarasinghe. A, (1984), Chapter 19, Deshiya chikithsa sangrahaya, Colombo Sathosa printers, Pg. 493.
- Kumarasinghe. A., (1984), Chapter 19, Deshiya chikithsa sangrahaya, Colombo Sathosa printers, Pg. 489.
- Kumarasinghe A., (1984), Chapter 19, Deshiya chikithsa sangrahaya, Colombo Sathosa printers, Pg. 487.
- Kumarasinghe A., (1984), Chapter 19, Deshiya chikithsa sangrahaya, Colombo Sathosa printers, Pg. 481.
- Kumarasinghe A., (1984), Chapter 19, Deshiya chikithsa sangrahaya, Colombo Sathosa printers, Pg. 480.
- Kumarasinghe A., (1984), Chapter 19, Deshiya chikithsa sangrahaya, Colombo Sathosa printers, Pg. 478.
- 14. Balaji S., Ganesan K. K., (2020). Inhibition of inducible nitric oxide production by *Caryota urens* and its active constituents umbelliferone and rutin. *Journal of Ayurveda and Integrative Medicine*. Available from: https://doi.org/10.1016/j.jaim.2020 .09.002
- Sujitha B., Kripa K. G., (2020), Anti-arthritic and anti-inflammatory polyphenols from *Caryota urens* L. A molecular docking analysis. doi: 10.5958/0974-360X.2020.0075 3.2
- 16. Ananth D. A., Sivasudha T., Rameshkumar A., Jeyadevi R., Aseervatham S. B., (2013), Chemical constituents, in vitro antioxidant and antimicrobial potential of *Caryota urens* L. Free radicals and anti-oxidants. Vol. 3-2, Available from: https://doi.org/10.1016 /j.fra.2013.05.008

- Sharmin T., Rahman M. S., Salekin S., Nahar K., (2020), Biological activities of Bonsupari (*Caryota urens* L.) fruits. *African journal of pharmacy and pharmacology*. Vol. 14 (3), Pg. 46-50. Available from: doi: 10.5897/AJPP2020.5118
- 18. Ananth D. A., Sivasudha T., Rameshkumar A., Jeyadevi R., Aseervatham S. B., (2013), Chemical constituents, *in vitro* antioxidant and antimicrobial potential of *Caryota urens* L. Free radicals and anti-oxidants. Vol. 3-2, Available from: https://doi.org/10.1016/j.fra.2013.05.008
- Sharmin T., Rahman M. S., Salekin S., Nahar K., (2020), Biological activities of Bonsupari (*Caryota urens* L.) fruits. *African journal of pharmacy and pharmacology*. Vol. 14 (3), Pg. 46-50. Available from: doi: 10.5897/AJPP2020.5118
- Vanaja D., Kavitha S. A study on the bio efficacy of *C. urens* L., (2017), *World journal of pharMaceutical research*. Vol. 6-4, Pg. 1381-1398. Available from: doi: 10.20959/wjpr20174-8223
- 21. Ferreres F., Andrade C., et. al., (2021), Valorisation of kitul, an overlooked food plant: Phenolic profiling of fruits and inflorescences and assessment of their effects on diabetes-related targets. Food Chemistry. Vol. 342, Available from: https://doi.org/ 10.1016/j.foodchem.2020.128323
- Wimalasiri G. E. M., Ranasingha P., Gunarathna D. M. A., Vidhana Arachchi L. P., (2016), Antioxidant and Anti-diabetic Properties of *Caryota Urens* (*Kithul*) Flour. Procedia Food Science. Vol. 6, Pg 181-185, Available from: doi.org/10.1016/j.profoo. 2016.02.044

- 23. El-Akad R. H., Zeid A. H. A., El-Rafie H. M., Kandil Z. A. A., Farag M. A., (2021), Comparative metabolites profiling of Caryota mitis & Caryota urens via UPLC/MS and isolation of two novel in silico chemopreventive flavonoids. Vol. 45(4): e13648. Available from: doi: 10.1111/jfbc.13648.
- 24. Ravindran C., (2018), To Study the Ameliorative Effect of Hydroalcholic Extract of *Caryota urens* (Arecaceae) On Streptozotocin Induced Alzheimer's Model in Mice. Available from: http://repositorytnmgrmu.ac.in/id/eprint/6429
- 25. Patel M. R., Saluja A. K., (2012), Analgesic and the anti-inflammatory activity of *Caryota urens* Linn. International Journal on pharmacy research and technology. Vol. 2-1, Pg. 47-50. Available from: http://www.ijccts.org/fulltext/17-154352172 9.pdf
- 26. Ranasinghe P., Premakumara G.A.S., Wijayarathna C. D., Ratnasooriya W.D., Effect of *Caryota urens* L. (Kithul) treacle on serum lipid parameters of normal rats. Available from: http://archive.cmb.ac.lk: 8080/research/bitstream/70130/568/1/sample %20proceedingsfinal%20(dragged)%206.pdf